

# New ThinkPad X60 TopSeller tablet models with wireless WAN include a three-year limited warranty

## Overview

### What's new

New ThinkPad® X60 TopSeller tablet models with wireless WAN (WWAN)

The ThinkPad X60 tablet is a thin and light tablet with a 12.1-inch XGA TFT with 1024 x 768 resolution, 12.1-inch TouchScreen XGA TFT with 1024 x 768 resolution, or an SXGA+ TFT with 1400 x 1050 resolution. Models weigh beginning at 1.70 kg (3.76 lb)<sup>9</sup> with the small footprint starting at 274 mm x 244 mm (10.8 x 9.6 in). The system comes preinstalled with Microsoft™ Windows™ XP Professional Tablet edition and selected applications.

**Note:** Included software may differ from its retail version (if available), and may not include user manuals or all program functions. License agreements may apply.

Models with a minimum of 512 MB of memory are Microsoft Windows Vista Capable.

### Feel the power

- Intel® Centrino Duo mobile technology on selected models:
  - Intel Core Duo processor family
  - Intel PRO/Wireless family
  - Intel 945 GM chipset family
- Data security with Client Security Solution
- Intel Graphics Media Accelerator 950
- 667 MHz FSB and 2 MB L2 cache

**HDD:** 120 GB 5400 rpm 2.5-inch HDD on selected models

**Memory:** 2 GB (2 of 1 GB), on selected models, ThinkPad PC2-5300 double data rate 2 (DDR2) 667 MHz memory,<sup>6,7</sup> expandable with optional SDRAM SO DIMM module to a maximum 4.0 GB<sup>8</sup>

**Battery:** Eight-cell battery on selected models

### Communications

- Integrated 56K<sup>10</sup> V.90<sup>11</sup> modem (V.92-designed)
- Intel Pro/Wireless 3945ABG Network Connection on selected models<sup>12</sup>
- Verizon Wireless Broadband Access<sup>13,14</sup> on selected models
- Cingular Wireless Broadband Access<sup>15</sup> on selected models
- Integrated Bluetooth wireless technology on selected models

**Warranty:** One or three-year limited warranty<sup>16</sup> (battery one-year limited warranty)

### Ports

- Extensive standard ports, including three USB 2.0, external display, RJ-45, RJ-11, IEEE 1394
- Secure Digital card slot for options that enable storage expansion, communications, and data transfer between PCs and peripherals
- 4 Mbps infrared port for wireless data transfer or synchronization with a compatible PDA or cell phone

**Options:** New ThinkPad X60 Tablet UltraBase provides cable management and expansion through a variety of Ultrabay™ Slim options.

**Take control:** ThinkVantage™ Access Connections: Simplifies management of multiple connectivity environments

### Planned availability dates

- December 2006
- January 2007, models with SXGA+ displays and Cingular and Vodafone WWAN

## At a glance

The ThinkPad X60 Tablet TopSeller offers great features and options, including:

- Battery life of up to 7.5<sup>1</sup> hours on systems with the eight-cell Li-Ion battery
- Intel Core Duo processor L2500 (1.83 GHz, 2 MB L2 cache, 667 MHz front-side bus (FSB)) featuring Intel SpeedStep technology<sup>2</sup> for maximum and battery-optimized performance
- Enhanced port replication and expansion via the optional ThinkPad X60 Tablet UltraBase
- Integrated UltraConnect antenna to help optimize worldwide frequency coverage and performance for improved wireless LAN connectivity on 802.11a, 802.11b, and 802.11g<sup>3</sup> networks<sup>4</sup>
- Client Security Solution
- ThinkVantage Rescue and Recovery™
- 2 GB<sup>5</sup> (2 of 1024 MB) on selected models ThinkPad PC2-5300 DDR2 667 MHz memory,<sup>6,7</sup> expandable with optional SDRAM SO DIMM module to a maximum 4 GB<sup>8</sup>
- 120 GB<sup>5</sup> 5400 rpm 2.5-inch HDD on selected models
- Microsoft Windows XP Professional Tablet edition
- Support Center: 800-426-7378

*This announcement is provided for your information only. For additional information, contact your sales representative, call 800-426-4968, or visit <http://www.lenovo.com>.*

## Description

### ENERGY STAR

All models of ThinkPad systems are designed to meet the EPA ENERGY STAR<sup>17</sup> requirements for using less than 15 watts of power in sleep mode when enabled by the power management software provided with the systems.

### *ThinkPad X60 tablet*

#### Processor technology

- Intel Core Duo processor L2500 (1.83 GHz, 2 MB L2 cache, 667 MHz FSB featuring Intel SpeedStep technology for maximum and battery-optimized performance)

#### Excellent security and manageability

- Designed to the PXE 2.1 requirement for mobile systems
- Industry-standard Common Information Model-compliant
- Data security via multiple passwords with the Client Security Solution

**New data protection:** Models include integrated fingerprint reader technology from ThinkVantage technologies to help protect access to your ThinkPad notebook and data.

- Because fingerprints are unique, using them along with other security measures can provide strong security.
- Fingerprint reader is built right into the palm rest area of the computer. When used with Password Manager and the Client Security Solution, you can simply pass your finger over the reader instead of typing passwords or you can combine it with passwords.
- Combine the integrated fingerprint reader with Password Manager and the Client Security Solution for strong security measures that are easy to follow. Security software is preloaded for an integrated solution out of the box.
- Administrators can implement strong security policies and users can meet ongoing password requirements easily.

ThinkVantage Rescue and Recovery is a one button recovery and restore solution that includes a set of self recovery tools to help users diagnose, get help, and recover from system crashes quickly, even if the primary operating system will not boot and you are remote from your support team.

- System Rejuvenation keeps data and system personality settings current when you restore.
- Antidote Delivery Manager allows IT staff to deliver fixes and updates to users wherever they are, even if their systems are down because of a worm or virus.
- Point and click wizard to make creation of Antidote scripts easy.
- Integration with other ThinkVantage Technologies to allow migration from backup and chip-encrypted backups, combining our great technologies to create an even more robust environment.

Accelerometer, a ThinkVantage technology, helps protect your HDD from some damage that could be caused by shock. A system board-mounted sensor continuously

monitors your ThinkPad notebook for sudden movement, and temporarily parks the HDD read/write head when a fall or similar event is predicted.

**LCD TFT display:** The ThinkPad X60 Tablet includes a 12.1-inch XGA TFT with 1024 x 768 resolution, a 12.1-inch TFT TouchScreen display with 1024 x 768 resolution, or a 12.1-inch SXGA+ TFT display with 1400 x 1050 resolution.

#### Video modes — Intel Graphics Media Accelerator 950 (UMA 128 MB maximum)

Resolution	TFT LCD		
	Color depth		
640 x 480	256,	64K,	16M
800 x 600	256,	64K,	16M
1024 x 768	256,	64K,	16M
1280 x 1024	256(18),	64K(18),	16M(18)
1400 x 1050	256(18),	64K(18),	16M(18)
1600 x 1200	256(18),	64K(18),	16M(18)

Resolution	TFT LCD (1400 x 1050)		
	Color depth		
640 x 480	256,	64K,	16M
800 x 600	256,	64K,	16M
1024 x 768	256,	64K,	16M
1280 x 1024	256,	64K,	16M
1400 x 1050	256,	64K,	16M
1600 x 1200	256(18),	64K(18),	16M(18)

For External monitor (It is not depend on LCD panel size)

Resolution	Color	External monitor(19)			
		Refresh rate (Hz)			
640 x 480	256	60,	75,	85,	100, 120
640 x 480	64K	60,	75,	85,	100, 120
640 x 480	16M	60,	75,	85,	100, 120
800 x 600	256	60,	75,	85,	100, 120
800 x 600	64K	60,	75,	85,	100, 120
800 x 600	16M	60,	75,	85,	100, 120
1024 x 768	256	60,	75,	85,	100, 120
1024 x 768	64K	60,	75,	85,	100, 120
1024 x 768	16M	60,	75,	85,	100, 120
1280 x 1024	256	60,	75,	85,	100, 120
1400 x 1050	256	60,	75,		
1400 x 1050	64K	60,	75,		
1400 x 1050	16M	60,	75,		
1600 x 1200	256	60,	75,	85,	100
1600 x 1200	64K	60,	75,	85,	100
1600 x 1200	16M	60,	75,	85,	100
2048 x 1536	256	60(19),	75(19)		
2048 x 1536	64K	60(19),	75(19)		
2048 x 1536	16M	60(19),	75(19)		

**Keyboard and TrackPoint® with enhanced features:** The keyboard has the familiar layout and quality of a ThinkPad notebook with function keys that allow you to quickly access system functions such as power management control.

You can use any of three new key combinations to easily manage your ThinkPad system:

- Fn + F5 for wireless radio control
- Fn + F7 for Presentation Director to toggle through different displays and adjust resolutions
- Fn + F9 for Easy Eject to seamlessly remove add-on peripherals such as a memory key

Each of these quick key combinations launches a menu that assists you in using ThinkPad innovations.

The TrackPoint with enhanced features incorporates the Press-to-Select and Release-to-Select function.

Just tap the TrackPoint to speed icon launches and help reduce keystrokes. The programmable center button enables fast scrolling of Web sites (requires Internet access; not included) and documents or fast panning

across wide spreadsheets. Switch to the innovative magnifying glass feature to enlarge screen views in any application. Selected models include integrated fingerprint reader technology.

**Memory:** 2 GB (2 of 1024 MB) on selected models ThinkPad PC2-5300 DDR2 667 MHz memory,<sup>7</sup> expandable with optional SDRAM SO DIMM module to a maximum 4 GB<sup>8</sup>

The maximum configurable memory is 4 GB; however, the maximum memory addressable by Windows applications is limited to 3 GB in current 32-bit computing architecture.

Recommended for memory expansion are 256 MB, 512 MB and 1 GB PC2-5300 DDR2 SDRAM 667 MHz SO DIMM, or 2 GB PC2-4200 DDR2 SDRAM 533 MHz SO DIMM.

If PC2-4200 DDR2 SDRAM 533 MHz SO DIMM and PC2-5300 DDR2 SDRAM 667 MHz SO DIMM are used at the same time, actual memory access speed is aligned to 533 MHz.

**Card slots:** The PC card slot accommodates either one Type-I or one Type-II card. The Secure Digital card slot enables flexible communications and storage expansion.

#### **Other features and ports**

- External display port
- Intel High Definition Audio for excellent sound
- Integrated 56K V.90 modem (V.92-designed)
- Integrated UltraConnect Wi-Fi wireless antenna
- New ThinkPad shock-mounted HDD mounted in rubber rails to enhance durability
- Floating planar design to protect components from damage
- Intel Pro/Wireless 3945ABG Network Connection on selected models
- Verizon Wireless Broadband Access on selected models
- Cingular Wireless Broadband Access on selected models
- Integrated Bluetooth wireless technology on selected models
- Infrared
- Integrated microphone
- External microphone port
- Headphone (line-out)
- Secure Digital card slot
- Three USB 2.0
- RJ-11 and RJ-45

### **ThinkPad X60 Tablet options**

#### **Standard battery shipped with the system**

#### **Optional X6 Tablet UltraBase docking solution**

- Easy cable management and expansion
- Stereo speakers
- Microphone (line-in)
- Headphone (line-out)

- One Ultrabay slot supporting the latest Ultrabay Slim options
- Standard ports including RJ-11, RJ-45, serial, parallel, external display, power, and four USB 2.0 ports
- Keylock to securely attach the system unit to the X6 UltraBase
- Slot for optional security cable lock

**Ultrabay Slim options:** Select from an expanding range of Ultrabay Slim devices including a CD-RW/DVD combo Ultrabay Slim drive, an ultralight DVD-Recordable drive, or an additional 2.5-inch HDD. These options require the ThinkPad X6 UltraBase.

#### **Family features available for these ThinkPad tablets**

- Intel Core Duo processors L2400 or L2500
- HDDs: 40, 60, 80, 100, or 120 GB (2.5-in, 5400 rpm); 60 GB or 100 GB (2.5-in, 7200 rpm)
- System memory: 256 MB, 512 MB, 1 GB, and 2 GB
- Optical drives: CD-RW/DVD-ROM Combo, DVD-ROM, and DVD recordable (requires X6 Tablet UltraBase)
- Bluetooth wireless technology
- Intel 945GM chipset and Integrated Intel Graphics Media Accelerator 950
- ThinkPad 11a/b/g Wi-Fi wireless
- Lenovo™ 11n Wi-Fi wireless
- Intel PRO/Wireless 3945ABG Network Connection
- Verizon Wireless Broadband Access
- Cingular Wireless Broadband Access
- Vodafone Wireless Broadband Access
- Fingerprint reader
- 12.1-inch TFT display with 1024 x 768 resolution
- 12.1-inch TFT TouchScreen display with 1024 x 768 resolution
- 12.1-inch TFT TouchScreen display with 1400 x 1050 resolution
- Four-cell Li-Ion battery
- Eight-cell Li-Ion battery
- Microsoft Windows XP Professional Tablet edition
- Microsoft Office Personal (Japan only)

Certain product family features are limited to select models that may not be available in all countries. Some combinations of features are not supported. Refer to the models and features available in your country.

#### **Software**

**Non-Lenovo software:** The non-Lenovo software programs listed in this section may be licensed to you under the non-Lenovo manufacturer's, supplier's, or publisher's terms and conditions. The non-Lenovo manufacturers, suppliers, or publishers are responsible for providing any service or support associated with these programs. The descriptions of these programs were obtained from information made available by these companies to the general public. Lenovo does not warrant these products. Some software may differ from its separately available version (if available), and may not include user manuals or all program function.

**Software that may be included or preloaded on the system:**

**Standard Preload for X60 Tablet**

**All geographies (Microsoft Windows XP Tablet PC Edition)**

- ThinkVantage Productivity Center
- ThinkVantage Access Connections
- ThinkVantage System Update
- PC-Doctor diagnostics
- ThinkVantage Rescue and Recovery
- Adobe Acrobat Reader
- Symantec Client Security Software (OEM Edition) with 90 days of virus definition updates
- ThinkVantage Client Security Software
- ThinkVantage Fingerprint software (only on models with fingerprint reader)
- VitalSource Library (only on Education models)
- Diskeeper Lite by Diskeeper Corporation
- Google Desktop
- Google Toolbar
- Picasa by Google
- Intervideo Virtual Drive
- Sun JRE
- Zinio Reader — English
- Microsoft Education Pack for Windows XP Tablet PC Edition — English
- Microsoft Experience Pack for Tablet PC — English
- VZAccess Manager on systems with Verizon Broadband wireless access

**Note:** Lotus SmartSuite® and Lotus® Notes® licenses are included in the user's reference.

---

**Warranty information**

---

For a copy of applicable product warranties, contact your authorized Lenovo reseller or Lenovo representative. Lenovo makes no representation or warranty regarding third-party products or services.

Telephone support may be subject to additional charges, even during the limited warranty period. For Lenovo machines with on-site labor, Lenovo will attempt to diagnose and resolve the problem remotely before sending a technician. For Lenovo machines with courier or depot service, your service provider will attempt to diagnose and resolve the problem remotely before sending a courier.

All offers are subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time without notice. Lenovo is not responsible for photographic or typographic errors.

---

**Reference information**

---

<sup>1</sup> These model numbers achieved the Ziff Davis Media Inc.'s Business Winstone 2002 BatteryMark Version 1.0 battery rundown time of at least the time shown. This test was performed without independent verification by the VeriTest testing division of Lionbridge Technologies, Inc. (VeriTest)

nor Ziff Davis Media Inc.; neither Ziff Davis Media Inc. nor VeriTest makes any representations or warranties as to these test results. For a description of the environment under which the test was performed, visit <http://www.ibm.com/pc/ww/thinkpad/batterylife>

- Battery life (and recharge times) varies based on many factors including screen brightness, applications, features, power management, battery conditioning, and other customer preferences. Recharge time also varies depending on system mode. Charging times vary depending on operating conditions. Battery may not charge fully during heavy loading.
- <sup>2</sup> Power management reduces processor speed when in battery mode.
  - <sup>3</sup> 11a, 11b, and 11g wireless are based on IEEE 802.11a, 802.11b, and 802.11g. An adapter with 11a/b/g can communicate on any of these formats; the actual connection is based on the access point to which it connects.
  - <sup>4</sup> Requires compatible mini-PCIe wireless-enabled options that are sold separately.
  - <sup>5</sup> GB equals one billion bytes when referring to HDD. Accessible capacity is less. Up to 4 GB is used in the service partition.
  - <sup>6</sup> For PCs without a separate video card, memory supports both system and video. Accessible system memory is up to 128 MB less than the amount stated, depending on video mode.
  - <sup>7</sup> Data transfer can vary and is often less than the maximum.
  - <sup>8</sup> Maximum memory capacity may require the replacement of standard component with largest supported component available.
  - <sup>9</sup> Includes battery; weight may vary depending on vendor components, manufacturing process, or options.
  - <sup>10</sup> The V.90 modem can receive data at up to 56 Kbps from a compatible service provider and transmit data at up to 31.2 Kbps. Public networks currently limit maximum download speeds to about 53 Kbps. Actual speeds depend on many factors and are often less than the maximum possible.
  - <sup>11</sup> Public network download speeds are limited to 53 Kbps. Upload speeds are limited to 48 Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require a compatible phone line and server equipment, and download of the V.92 support device driver when available. Check with your telephone and Internet service providers for availability.
  - <sup>12</sup> Wi-Fi wireless lets you connect to a LAN without wires or cables. To connect to the Internet, a wireless access point (or similar device) and an Internet connection are required. This product has been tested and certified to be interoperable by the Wireless Ethernet Compatibility Alliance and is authorized to carry the Wi-Fi logo.
  - <sup>13</sup> Activating Verizon Wireless Service: Lenovo customers will be contacted after purchase to activate service; requires separate agreement with Verizon Wireless and is subject to the Customer Agreement, Calling Plan, and credit approval. Service and airtime charges will apply; \$175 early termination fee. Verizon Wireless, not Lenovo, is solely responsible for service. Service not available in all areas; purchaser is responsible for verifying that service is available for the intended location before purchasing a computer equipped with WAN card. Network details, coverage limitations, and maps can be obtained at <http://www.verizonwireless.com/b2c/mobileoptions/broadband/serviceavailability.jsp?opener=b2b>
  - <sup>14</sup> Verizon Wireless service speed: Speed averages 400 to 700 Kbps based on network tests with 5 MB FTP data files, without compression. Speed declines with distance from the cell site and is limited to 154 Mbps at certain cell sites with backhaul limitations. The number of users on the Verizon Wireless data network may also affect maximum possible speed. Average upload speeds are expected to be between 60 to 80 Kbps. Speed claims are based on network tests with 5 MP FTP data files, without compression. Actual speeds and coverage may vary.
  - <sup>15</sup> Requires service contract with Cingular; monthly service charges and airtime charges (based on data throughput) will apply. Roaming charges may also apply. Service not available in all areas. Cingular is solely responsible for the Cingular service. Visit the Cingular web site for complete details and service plans and to view a coverage map prior to ordering.

<http://www.cingular.com/midtolarge/network>

- 16 Refer to the Lenovo Statement of Limited Warranty for terms governing support obligations. For a copy, contact your authorized Business Partner or Lenovo customer representative.
- 17 As an ENERGY STAR partner, Lenovo has determined that all models of this product meet the ENERGY STAR guidelines for energy efficiency.
- 18 Supported in panning mode.
- 19 Supported at external monitor only. When the LCD and external monitor are used at the same time, the refresh rate may be lower.

**Trademarks**

Lotus, Lotus SmartSuite, and Notes are registered trademarks of International Business Machines Corporation in the United States or other countries or both.

Intel is a registered trademark of Intel Corporation.

Microsoft and Windows are trademarks of Microsoft Corporation.

Ultrabay, ThinkVantage, Rescue and Recovery, and Lenovo are trademarks of Lenovo in the United States, other countries, or both

ThinkPad and TrackPoint are registered trademarks of Lenovo in the United States, other countries, or both

Other company, product, and service names may be trademarks or service marks of others.

---

# United States Announcement Supplemental Information

---

November 14, 2006

---

---

## Optional features

---

For the latest information on options available for the ThinkPad® X60 tablet notebook and other ThinkPad notebooks, visit

<http://www.pc.ibm.com/us/accessories/thinkpad/index.html>

---

## Services

---

### *IBM Integrated Technology Services*

IBM services include business consulting, outsourcing, hosting services, applications, and other technology management.

These services help you learn about, plan, install, manage, or optimize your IT infrastructure to be an On Demand Business. They can help you integrate your high-speed networks, storage systems, application servers, wireless protocols, and an array of platforms, middleware, and communications software for Lenovo™ and many non-Lenovo offerings.

For details on available services, contact your IBM representative or visit

<http://www.ibm.com/services/>

For details on available IBM Business Continuity and Recovery Services, contact your IBM representative or visit

<http://www.ibm.com/services/continuity>

For details on education offerings related to specific products, visit

<http://www.ibm.com/services/learning/index.html>

Select your country, and then select the product as the category.

---

## Technical information

---

### *Physical specifications*

- Width: 274 mm (10.8 in)
- Depth: 244 mm (9.6 in) for models with 4-cell battery
- Depth: 267 mm (10.5 in) for models with 8-cell battery
- Height: 27 to 33 mm (1.1 to 1.3 in)
- Travel weight: Beginning at 1.70 kg (3.76 lb) for 4-cell battery

### *Accessories*

- Li-Ion battery pack:
  - Eight-cell Li-Ion battery: 455 g (1.00 lb)

- Four-cell Li-Ion battery: 234 g (0.52 lb)
- AC adapter (two-pin or three-pin)
- Power cord for ac adapter

**Note:** Actual specifications and weights may vary based on features, vendor components, or manufacturing processes.

### *Electrical specifications*

- Universal ac adapter (65 W)
- Input: 100/240 V ac, 50/60 Hz
- Output: 20 V dc
- Li-Ion battery pack:
  - Four-cell: 14.4 V, 2.0 Ah
  - Eight-cell: 14.4 V, 4.55 Ah

**Heat dissipation:** 191 Btu/hr maximum

**Heat emissions:** 65 watts maximum

**Air temperature for shipping and storage:** -20° to 60°C (-4° to 140°F)

**Acoustic noise level:** Category 3D (office environment)

- Sound power level:
  - 3.4 bels (idling)
  - 4.4 bels (operating)
- Sound pressure level at the operator position: 41 dB (HDD seeking)

**Note:** All measurements are made in accordance with the International Organization of Standardization (ISO) 7779 and reported in conformance with ISO 9296.

**Operating environment:** ThinkPad computers are designed, built, and tested for high quality and reliability. When used properly in standard business environments, a ThinkPad system should be a reliable computing asset for many years. Harsh environments and abuse can damage ThinkPad systems since they are not intended to withstand extreme temperatures, dust, shock, or other severe physical environments. ThinkPad systems should not be used in unsuitable environments. For example, a ThinkPad system should not be used in non-stationary environments, such as in-vehicle installations, without additional casing or shock dissipation. Lenovo warrants that the ThinkPad notebook will conform to its Official Published Specifications when used in a suitable physical operating environment.

For additional information about supported environments, refer to the **Physical specifications** section.

### *Agency approvals*

System unit

- FCC Class-B certified to comply with FCC Rules, Part 15
- VCCI Class B
- CISPR22 Class B
- UL 60950

*This announcement is provided for your information only.*

---

- CSA C22.2 No. 950
- NOM
- SASO
- IEC 60950
- ACA
- MPR-II (Sweden)
- CE Mark
- CCC (for China)
- BSMI
- CER

**Software requirements:** Microsoft™ Windows™ XP Professional Tablet edition

**Note:** Previous versions of this operating system are not supported.

For a list of completed Linux™ certifications, visit

<http://www.lenovo.com/pc/support/site.wss/MIGR-48NT8D.html>

Operating systems other than those preinstalled on the systems may not provide full-feature functionality. To view considerations or Service Hints and Tips by operating system, visit

<http://www.lenovo.com/think/support>

- In the middle of the screen, in the Quick path to a product field, enter your system's four-digit machine type and model number.
- On the left side of the page, click Hints and Tips.

### **Compatibility and supported products**

Contact your ThinkPad representative for a list of supported features and options.

**PC card:** The ThinkPad X60 Notebook conforms to the PC Card Standard 95. The PC Card Standard encompasses both the former 16-bit Release 2.1 card standard and the new 32-bit CardBus card. Other PC card adapters that comply with the PC Card Standard may also function, but have not been tested by Lenovo.

### **Vendor software compatibility**

Lenovo tests a large number of commonly used and available applications for compatibility with its ThinkPad systems using supporting operating systems and configurations. In general, you can expect that most vendor applications designed to run on supported operating systems and Intel®-compatible system architectures should be compatible with a ThinkPad system. Some configurations, however, may not be compatible.

Lenovo does not warrant or support vendor software products, nor guarantee compatibility of those products with Lenovo systems. Refer to the applicable warranty and license terms provided by the respective vendors.

ThinkPad X60 Notebooks contain BIOS in their flash ROM and a GUI to set up the system and power management features for Windows users. BIOS provides the hardware instructions and interfaces designed to support the standard features of the ThinkPad X60 Notebook computer.

**Limitations:** For a list of tips about running various versions of operating systems, visit

<http://www.lenovo.com/think/support>

Select Notebooks and PDA Support, ThinkPad X60 Notebook, and Hints and Tips.

**Note:** Wi-Fi wireless upgradable systems are designed to operate only with wireless LAN mini-PCIe options sold by Lenovo. Systems are not wireless upgradable in all countries.

### **Planning information**

**Cable orders:** All cables are included in the shipment group.

**Installability:** The ThinkPad X60 TopSeller tablet requires approximately 20 minutes for installation. Installation includes unpacking, setting up, and powering on the system. Additional time is required to install optional memory and other optional features.

### **Packaging**

#### **Shipment group**

- System unit with U.S. English keyboard
- Worldwide ac adapter
- Country-specific line cord
- Rechargeable battery pack (Li-Ion)
- TrackPoint® caps
- Publications group:
  - ThinkPad X60 Tablet Notebook Setup Guide
  - ThinkPad X60 Tablet Notebook Troubleshooting Guide
  - Envelope Group BM (miscellaneous envelope): Insurance brochure

**Supplies:** None

### **Security, auditability, and control**

#### **Standard security features**

**Passwords:** These password protection mechanisms are available:

- Power-on passwords to help protect the system from unauthorized use
- Supervisor password for use by a system administrator
- HDD password to help protect data on the removable HDD

In addition, an optional locking device in the security slot provides physical security.

The customer is responsible for evaluation, selection, and implementation of security features, administrative procedures, and appropriate controls in application systems and communications facilities.

---

## **Terms and conditions**

---

**IBM Global Financing:** Yes

### **ThinkPad X60 Tablet systems (machine type 6366)**

These systems have a three-year depot warranty.

To obtain copies of the Lenovo Statement of Limited Warranty, contact your reseller or Lenovo.

In the United States, call 800-426-7378 or write to:

Warranty Information

### **Warranty period**

- System hardware — Three years on parts and labor
- System battery — One year

Optional Lenovo features initially installed in a Lenovo system carry the same warranty period as the system. If installed after the initial system installation, they carry the balance of the system warranty or the optional feature warranty, whichever is greater.

**Warranty service:** If required, your service provider provides repair or exchange service depending on the type of warranty service specified for the machine. A service technician will attempt to resolve your problem over the telephone. You must follow the problem determination and resolution procedures. Scheduling of service will depend upon the time of your call and is subject to parts availability. Service levels are response time objectives and are not guaranteed. The specified level of warranty service may not be available in all worldwide locations. Additional charges may apply outside your service providers normal service area. Contact your local service provider representative or your reseller for country- and location-specific information.

**Customer replaceable unit (CRU) service:** Lenovo will ship CRUs to you for you to install. Tier 1 CRUs are easy to install whereas Tier 2 CRUs require some technical skill and tools. CRU information and replacement instructions are shipped with your machine and are available from Lenovo at any time on your request. You may request that a service provider install CRUs, at no additional charge, under the type of warranty service designated for your machine. Lenovo specifies in the materials shipped with a replacement CRU whether a defective CRU must be returned. When return is required, return instructions and a container are shipped with the replacement CRU. You may be charged for the replacement CRU if Lenovo does not receive the defective CRU within 30 days of your receipt of the replacement.

**Courier or depot service:** You will disconnect the failing machine for collection arranged by your service provider. A shipping container will be provided to you for you to return your machine to a designated service center. A courier will pick up your machine and deliver it to the designated service center. Following its repair or exchange, the service center will arrange the return delivery of the machine to your location. You are responsible for its installation and verification.

**Customer carry-in or mail-in service:** You will deliver or mail as your service provider specifies (prepaid unless specified otherwise) the failing machine suitably packaged to a designated location. After the machine has been repaired or exchanged, it will be made available for your collection or, for mail-in service, the machine will be returned to you at Lenovo's expense, unless your service provider specifies otherwise. You are responsible for the subsequent installation and verification of the machine.

This type of service is called EasyServ in the U.S. and Canada.

Call 800-426-7378 to assist with problem isolation for hardware to determine if warranty service is required. Telephone support may be subject to additional charges, even during the limited warranty period. If a hardware problem is identified, the Customer Support Center will

either initiate the shipment of a CRU or arrange for a courier to pick up the system for overnight delivery (where available) to the repair location. Most repairs should be made within 48 hours after the system is received at the repair location (actual repair time may vary). Keep the original shipping carton for shipping to the repair location. If the original shipping carton is not available, the courier will deliver a shipping carton and return to pick up the system for delivery to the repair location.

**International Warranty Service (IWS):** IWS is available during the warranty period to customers who travel or relocate to countries where their computer is sold and serviced by a service provider authorized to perform warranty service. Eligible Lenovo computers are identified by their four-digit machine type.

You can obtain IWS through the method of service, such as CRU, depot, carry-in or on-site, provided in the servicing country. Service methods and procedures vary by country, and some service or parts may not be available in all countries. Service centers in certain countries may not be able to service all models of a particular machine type. In addition, some countries may have fees and restrictions that apply at the time of service.

**Note:** Due to the earth's magnetic field, CRT monitors are manufactured to work in northern, southern, and equatorial regions of the earth and may not produce a satisfactory image when moved between them. Any required adjustment (if possible) is not covered under IWS and may be subject to a chargeable action. The magnetic field does not affect flat-panel LCD monitors and ThinkPad LCD displays.

**Licensing:** Programs included with this product are licensed under the terms and conditions of the License Agreements that are shipped with the system.

### **ThinkPlus™ services**

**Warranty and maintenance options:** The announced products may be eligible for ThinkPlus maintenance services, convenient prepackaged offerings for warranty service upgrades and maintenance services.

**Installation services:** The announced products may be eligible for ThinkPlus installation services, convenient prepackaged offerings for installation services.

Refer to the **Prices** section for information on the availability of ThinkPlus services.

**Field-installable features:** Yes

**Model conversions:** No

**Machine installation:** Customer setup. Customers are responsible for installation according to the instructions Lenovo provides with the machine.

**Graduated program license charges apply:** No. This product does not contain licensed internal code or licensed machine code.

---

## **Prices**

---

### **Mobile products**

All models have a modem, Gigabit Ethernet, UltraConnect antenna, Client Security Solution, Secure Digital slot with



input/output support and Intel 945GM chipset. Models without wireless LAN are wireless LAN upgradable. Only models with combination of the Intel Core Duo processor, Intel 945GM chipset and Intel PRO/Wireless have Intel Centrino® Duo mobile technology.

Preloads are described in the **Description** section of this document.

### U.S. English machines

Description	Order number	Machine type/model
ThinkPad X60 Tablet (Intel Core Duo processor L2500, 12.1" XGA Super-Wide Angle TFT, Open Bay, Integrated fingerprint reader, Verizon Wireless WAN)	636676U	6366-76U
ThinkPad X60 Tablet (Intel Core Duo processor L2500, 12.1" XGA Super-Wide Angle TFT, Open Bay, Integrated fingerprint reader, Cingular Wireless WAN)	636677U	6366-77U
ThinkPad X60 Tablet (Intel Core Duo processor L2500, 12.1" XGA Super-Wide Angle TFT with Touchscreen, Open Bay, Integrated fingerprint reader, Verizon Wireless WAN)	636696U	6366-96U
ThinkPad X60 Tablet (Intel Core Duo processor L2500, 12.1" XGA Super-Wide Angle TFT with Touchscreen, Open Bay, Integrated fingerprint reader, Cingular Wireless WAN)	636697U	6366-97U
ThinkPad X60 Tablet (Intel Core Duo processor L2500, 12.1" SXGA+ Super-Wide Angle TFT, Open Bay, Integrated fingerprint reader, Verizon Wireless WAN)	6366C4U	6366-C4U
ThinkPad X60 Tablet (Intel Core Duo processor L2500, 12.1" SXGA+ Super-Wide Angle TFT, Open Bay, Integrated fingerprint reader, Cingular Wireless WAN)	6366C5U	6366-C5U

Description	Part number	Machine type/model	List price(20)
ThinkPad X60 Tablet (Intel Core Duo processor L2500, 12.1" XGA Super-Wide Angle TFT with Touchscreen, 120.0 GB / 5400 rpm, Integrated fingerprint reader, Ultrabase + DVD Recordable, 2 GB (2 x 1024 MB SO DIMM), Bluetooth Wireless Technology, Intel PRO/Wireless 3945ABG, Verizon Wireless WAN, Microsoft One Note, 8-cell Li-Ion)	636698U	6366-98U	\$2,999

### ThinkPad X60 Tablet systems with machine type 6366 with three-year depot warranty

#### ThinkPlus services for warranty and maintenance

The offerings below apply to all models of machine type 6366.

The models are 76U, 77U, C4U, C5U, 96U, 97U, and 98U.

Description	ThinkPlus part number
2-year IOR 9 x 5 NBD	41C9175
3-year IOR 9 x 5 NBD	41C9176

IOR = IBM on-site repair  
NBD = Next business day

IBM Global Services is the preferred, authorized warranty service, warranty service upgrade, and post-warranty service provider for Lenovo products (excluding mainland China).

For ServiceElect (ESA) maintenance service charges, contact IBM Global Services at 888-426-4343.

**IBM Global Financing:** IBM Global Financing offers competitive financing to credit-qualified customers to assist them in acquiring IT solutions. Offerings include financing for IT acquisition, including hardware, software, and services, both from IBM and other manufacturers or vendors. Offerings (for all customer segments: small, medium, and large enterprise), rates, terms, and availability can vary by country. Contact your local IBM Global Financing organization or visit the Web at

<http://www.ibm.com/financing>

IBM Global Financing offerings are provided through IBM Credit LLC in the United States and other IBM subsidiaries and divisions worldwide to qualified commercial and government customers. Rates are based on a customer's credit rating, financing terms, offering type, equipment type, and options, and may vary by country. Other restrictions may apply. Rates and offerings are subject to change, extension, or withdrawal without notice.

**Financing offering/capabilities:** Financing solutions from IBM Global Financing can help you stretch your budget and affordably acquire the new product. But beyond the initial acquisition, our end-to-end approach to IT management can also help keep your technologies current, reduce costs, minimize risk, and preserve your ability to make flexible equipment decisions throughout the entire technology life cycle.

#### Trademarks

Intel and Intel Centrino are registered trademarks of Intel Corporation.  
Microsoft and Windows are trademarks of Microsoft Corporation.  
Linux is a trademark of Linus Torvalds in the United States, other countries or both.  
Lenovo and ThinkPlus are trademarks of Lenovo in the United States, other countries, or both  
ThinkPad and TrackPoint are registered trademarks of Lenovo in the United States, other countries, or both  
Other company, product, and service names may be trademarks or service marks of others.